

# EasyDesk Alu

Universal robot workstation table that combines a compact footprint with a spacious work surface.



## Introduction

### EasyDesk Alu – Modular Aluminum Cobot Workstation

The EasyDesk Alu is a spacious cobot workstation table designed for large-series industrial production. Its wide tabletop (1200 × 800 mm) is made of 40 mm aluminum profile, supporting up to 300 kg, making it a robust and versatile robot workstation. Despite its size, EasyDesk Alu remains highly mobile and can be easily moved with a pallet lifter, providing flexibility for modern manufacturing workflows.


The EasyDesk Alu robot workstation is ideal for CNC machine tending, automated assembly, and collaborative robot applications, enabling efficient, high-quality, and flexible production across various industrial sectors.

#### Suitable for 99% of modern cobots

EasyRobotics products are tested and compatible with 99% of modern collaborative robots.

#### Pull-out controller mount

Controller compartment is equipped with easy access pull-out tray.



#### Re-attachable mount plate

The place of attachment of the cobot's mount plate can be changed along the entire length of 3 working sides.

---


## Features

- EasyDesk Alu from EasyRobotics is a spacious, versatile robot cell designed to support a wide range of applications in high-volume production environments.
- The wide 1200 × 800 mm tabletop is constructed from a robust 40 mm aluminum profile, providing reliable support for workloads of up to 300 kg—ideal for demanding industrial applications.
- Despite its compact size, the Easydesk is highly mobile and can be easily relocated at any time using a pallet lifter, offering maximum flexibility on the shop floor.
- Spacious worktable designed to accommodate all types of clamping equipment and components.
- The cobot console is mounted at a 45° angle to ensure complete reach and seamless access across the entire tabletop.
- The controller compartment is equipped with an easy-access pull-out tray for convenient handling and maintenance.

---

## It can also be used for the following applications:

- Cutting
- Finishing & Polishing
- Deburring
- Grinding
- Quality Control



## Product Order Overview

|           |              |  |
|-----------|--------------|--|
| ED-1001-A | EasyDesk Alu | H: 932 mm, W: 890 mm, L: 1550 mm, Wt: 305 kg, T-Pad bracket, Controller compartment, Robot-mount with 45° angle, Alu-profile 40 tabletop |
|-----------|--------------|--|

# EasyRobotics®

*- we move your parts*

## **EasyRobotics ApS**

Tinggårdvej 1,

6400 Sønderborg, Denmark

E-Mail: [info@easyrobotics.dk](mailto:info@easyrobotics.dk)

Phone: +45 53770267

Web: [www.easyrobotics.biz](http://www.easyrobotics.biz)