

ProFeeder X

PF S 3× 100kg tray

The ProFeeder X cobot base is a high-performance robotic machine tending system designed for efficient CNC automation solutions. It supports up to 10 trays, making it ideal for both small and large series production.



Explore in 360°



We reserve the right to make changes and are not responsible for any errors or omissions.

Specifications	PFX-1010-03
Size of the product L X W X H (mm)	920 X 980 X 1050
Weight of the product (Kg)	320
Number of Drawers	3
Drawer Weight Capacity (Kg)	60
Max Workpiece Height (mm)	240
Drawer work area (mm)	350×550
Numbers of parts per tray/drawer (Example.80×80mm Sq part)	24
Numbers of parts per tray/drawer (Example.72 mm tear drop)	23
Drawer Locking System	Mechanical lock
Pulling force per tray	15 N
Floor Anchoring Required	Yes
Compatibility	99% of modern cobot
Cobot Mount	0° or 45°
Teach Pendant Bracket	Yes
Controller Compartment	Yes
Controller Compartment Size L X W X H (mm)	600 X 280 X 450
Air Supply Requirement	No
Interface	No
Optional features	Wheels
	Floor Dock
	Safety Scanner Cover
	Hinge Door on Operator side

ProFeeder X

PF X 3× 60kg tray w. Airlock

The ProFeeder X cobot base is a high-performance robotic machine tending system designed for efficient CNC automation solutions. It supports up to 10 trays, making it ideal for both small and large series production.



Explore in 360°



We reserve the right to make changes and are not responsible for any errors or omissions.

Specifications	PFX-1011-03
Size of the product L X W X H (mm)	920 X 980 X 1050
Weight of the product (Kg)	335
Number of Drawers	3
Drawer Weight Capacity (Kg)	60
Max Workpiece Height (mm)	240
Drawer work area (mm)	350×550
Numbers of parts per tray/drawer (Example.80×80mm Sq part)	24
Numbers of parts per tray/drawer (Example.72 mm tear drop)	23
Drawer Locking System	Air Lock
Pulling force per tray	15 N
Floor Anchoring Required	Yes
Compatibility	99% of modern cobot
Cobot Mount	0° or 45°
Teach Pendant Bracket	Yes
Controller Compartment	Yes
Controller Compartment Size L X W X H (mm)	600 X 280 X 450
Air Supply Requirement	Max 8 bar dry air
Interface	IO Switch
Optional features	Wheels
	Floor Dock
	Safety Scanner Cover
	Hinge Door on Operator side

ProFeeder X

PF X 6x 60kg tray w. Mechlock

The ProFeeder X cobot base is a high-performance robotic machine tending system designed for efficient CNC automation solutions. It supports up to 10 trays, making it ideal for both small and large series production.



Explore in 360°



We reserve the right to make changes and are not responsible for any errors or omissions.

Specifications	PFX-1010-05
Size of the product L X W X H (mm)	920 X 980 X 1050
Weight of the product (Kg)	365
Number of Drawers	6
Drawer Weight Capacity (Kg)	60
Max Workpiece Height (mm)	120
Drawer work area (mm)	350x550
Numbers of parts per tray/drawer (Example.80x80mm Sq part)	24
Numbers of parts per tray/drawer (Example.72 mm tear drop)	23
Drawer Locking System	Mechanical lock
Pulling force per tray	15 N
Floor Anchoring Required	Yes
Compatibility	99% of modern cobot
Cobot Mount	0° or 45°
Teach Pendant Bracket	Yes
Controller Compartment	Yes
Controller Compartment Size L X W X H (mm)	600 X 280 X 450
Air Supply Requirement	No
Interface	No
Optional features	Wheels
	Floor Dock
	Safety Scanner Cover
	Hinge Door on Operator side

ProFeeder X

PF X 6x 60kg tray w. Airlock

The ProFeeder X cobot base is a high-performance robotic machine tending system designed for efficient CNC automation solutions. It supports up to 10 trays, making it ideal for both small and large series production.



Explore in 360°



We reserve the right to make changes and are not responsible for any errors or omissions.

Specifications	PFX-1011-06
Size of the product L X W X H (mm)	920 X 980 X 1050
Weight of the product (Kg)	380
Number of Drawers	6
Drawer Weight Capacity (Kg)	60
Max Workpiece Height (mm)	120
Drawer work area (mm)	350x550
Numbers of parts per tray/drawer (Example.80x80mm Sq part)	24
Numbers of parts per tray/drawer (Example.72 mm tear drop)	23
Drawer Locking System	Air Lock
Pulling force per tray	15 N
Floor Anchoring Required	Yes
Compatibility	99% of modern cobot
Cobot Mount	0° or 45°
Teach Pendant Bracket	Yes
Controller Compartment	Yes
Controller Compartment Size L X W X H (mm)	600 X 280 X 450
Air Supply Requirement	Max 8 bar dry air
Interface	IO Switch
Optional features	Wheels
	Floor Dock
	Safety Scanner Cover
	Hinge Door on Operator side

ProFeeder X

PF X 5x 120kg tray w. Mechlock

The ProFeeder X cobot base is a high-performance robotic machine tending system designed for efficient CNC automation solutions. It supports up to 10 trays, making it ideal for both small and large series production.



Explore in 360°



We reserve the right to make changes and are not responsible for any errors or omissions.

Specifications	PFX-1100-05
Size of the product L X W X H (mm)	920 X 980 X 1050
Weight of the product (Kg)	415
Number of Drawers	5
Drawer Weight Capacity (Kg)	120
Max Workpiece Height (mm)	160
Drawer work area (mm)	350x550
Numbers of parts per tray/drawer (Example.80x80mm Sq part)	24
Numbers of parts per tray/drawer (Example.72 mm tear drop)	23
Drawer Locking System	Mechanical lock
Pulling force per tray	15 N
Floor Anchoring Required	Yes
Compatibility	99% of modern cobot
Cobot Mount	0° or 45°
Teach Pendant Bracket	Yes
Controller Compartment	Yes
Controller Compartment Size L X W X H (mm)	600 X 280 X 450
Air Supply Requirement	No
Interface	No
Optional features	Wheels
	Floor Dock
	Safety Scanner Cover
	Hinge Door on Operator side

ProFeeder X

PF X 5x 120kg tray w. Airlock

The ProFeeder X cobot base is a high-performance robotic machine tending system designed for efficient CNC automation solutions. It supports up to 10 trays, making it ideal for both small and large series production.



Explore in 360°



We reserve the right to make changes and are not responsible for any errors or omissions.

Specifications	PFX-1101-05
Size of the product L X W X H (mm)	920 X 980 X 1050
Weight of the product (Kg)	430
Number of Drawers	5
Drawer Weight Capacity (Kg)	120
Max Workpiece Height (mm)	160
Drawer work area (mm)	350x550
Numbers of parts per tray/drawer (Example.80x80mm Sq part)	24
Numbers of parts per tray/drawer (Example.72 mm tear drop)	23
Drawer Locking System	Air Lock
Pulling force per tray	15 N
Floor Anchoring Required	Yes
Compatibility	99% of modern cobot
Cobot Mount	0° or 45°
Teach Pendant Bracket	Yes
Controller Compartment	Yes
Controller Compartment Size L X W X H (mm)	600 X 280 X 450
Air Supply Requirement	Max 8 bar dry air
Interface	IO Switch
Optional features	Wheels
	Floor Dock
	Safety Scanner Cover
	Hinge Door on Operator side

ProFeeder X

ProFeeder X 10× 120kg tray w. Mechlock

The ProFeeder X cobot base is a high-performance robotic machine tending system designed for efficient CNC automation solutions. It supports up to 10 trays, making it ideal for both small and large series production.



Explore in 360°



We reserve the right to make changes and are not responsible for any errors or omissions.

Specifications	PFX-1100-10
Size of the product L X W X H (mm)	920 X 980 X 1050
Weight of the product (Kg)	535
Number of Drawers	10
Drawer Weight Capacity (Kg)	120
Max Workpiece Height (mm)	80
Drawer work area (mm)	350×550
Numbers of parts per tray/drawer (Example.80×80mm Sq part)	24
Numbers of parts per tray/drawer (Example.72 mm tear drop)	23
Drawer Locking System	Mechanical lock
Pulling force per tray	15 N
Floor Anchoring Required	Yes
Compatibility	99% of modern cobot
Cobot Mount	0° or 45°
Teach Pendant Bracket	Yes
Controller Compartment	Yes
Controller Compartment Size L X W X H (mm)	600 X 280 X 450
Air Supply Requirement	No
Interface	No
Optional features	Wheels
	Floor Dock
	Safety Scanner Cover
	Hinge Door on Operator side

ProFeeder X

ProFeeder X 10× 120kg tray w. Airlock

The ProFeeder X cobot base is a high-performance robotic machine tending system designed for efficient CNC automation solutions. It supports up to 10 trays, making it ideal for both small and large series production.



Explore in 360°



We reserve the right to make changes and are not responsible for any errors or omissions.

Specifications	PFX-1101-10
Size of the product L X W X H (mm)	920 X 980 X 1050
Weight of the product (Kg)	550
Number of Drawers	10
Drawer Weight Capacity (Kg)	120
Max Workpiece Height (mm)	80
Drawer work area (mm)	350×550
Numbers of parts per tray/drawer (Example.80×80mm Sq part)	24
Numbers of parts per tray/drawer (Example.72 mm tear drop)	23
Drawer Locking System	Air Lock
Pulling force per tray	15 N
Floor Anchoring Required	Yes
Compatibility	99% of modern cobot
Cobot Mount	0° or 45°
Teach Pendant Bracket	Yes
Controller Compartment	Yes
Controller Compartment Size L X W X H (mm)	600 X 280 X 450
Air Supply Requirement	Max 8 bar dry air
Interface	IO Switch
Optional features	Wheels
	Floor Dock
	Safety Scanner Cover
	Hinge Door on Operator side