

## ProFeeder Flex Base

The ProFeeder Flex is part of the ProFeeder family, with over 500 units deployed across the globe. This mobile robot cell for machine tending acts as a cobot stand that allows flexible maneuvering around the factory premise.



Explore in 360°



We reserve the right to make changes and are not responsible for any errors or omissions.

Specifications	PFF-1002-00
Size of the product L X W X H (mm)	1000 X 680 X 1100
Weight of the product (Kg)	100
No of Table Top	-
Maximum load on each table top	-
Work Area	-
Floor Anchoring Required	Yes
Wheels provided	Yes
Floor Docks provided	2
Compatibility	99% of modern cobots
Cobot Mount	0°
Teach Pendant Bracket	Yes
Controller Compartment	Yes
Controller Compartment Size L X W X H (mm)	550 X 300 X 550
Air Supply Requirement	No
Mover Locking	-
Interface	No
Optional Features	Safety Scanner Cover

## ProFeeder Flex One

The ProFeeder Flex is part of the ProFeeder family, with over 500 units deployed across the globe. This mobile robot cell for machine tending acts as a cobot stand that allows flexible maneuvering around the factory premise.



Explore in 360°



We reserve the right to make changes and are not responsible for any errors or omissions.

Specifications	PFF-1002-01
Size of the product L X W X H (mm)	1165 X 800 X 932
Weight of the product (Kg)	115
No of Table Top	1
Maximum load on each table top	110
Work Area	650×430
Floor Anchoring Required	Yes
Wheels provided	Yes
Floor Docks provided	2
Compatibility	99% of modern cobots
Cobot Mount	0°
Teach Pendant Bracket	Yes
Controller Compartment	Yes
Controller Compartment Size L X W X H (mm)	550 X 300 X 550
Air Supply Requirement	No
Mover Locking	-
Interface	No
Optional Features	Safety Scanner Cover

## ProFeeder Flex Three

The ProFeeder Flex is part of the ProFeeder family, with over 500 units deployed across the globe. This mobile robot cell for machine tending acts as a cobot stand that allows flexible maneuvering around the factory premise.



Explore in 360°



We reserve the right to make changes and are not responsible for any errors or omissions.

Specifications	PFF-1002-03
Size of the product L X W X H (mm)	1268 X 800 X 910
Weight of the product (Kg)	150
No of Table Top	3
Maximum load on each table top	110
Work Area	3 X(650×430)
Floor Anchoring Required	Yes
Wheels provided	Yes
Floor Docks provided	2
Compatibility	99% of modern cobots
Cobot Mount	0°
Teach Pendant Bracket	Yes
Controller Compartment	Yes
Controller Compartment Size L X W X H (mm)	550 X 300 X 550
Air Supply Requirement	Max 8 bar dry air
Mover Locking	Cylinder lock
Interface	Selector Switch
Optional Features	Safety Scanner Cover