ProFeeder X-XL

Higher production capacity and extended storage compartment





ProFeeder X-XL

COMPLETE AUTOMATION

Profeder X-XL allows you to automate the process of supplying parts, speed up production process and increase the volume of products.


2 LOCKING SYSTEMS AVAILABLE

Mechanical or Air locking systems available. Airlocks runs on digital I/O.

LARGER CAPACITY AND DIMENSIONS

Profeeder X-XL is 500mm wider, than the standard Profeeder X and is available with 2 or 5 trays. It can handle workpieces up to 160 mm in height with a tray load up to 90 kg.

UP TO 5
TRAY



Benefits


- Contains up to 5 trays
- Designed for large volume production & bigger parts
- Can handle pieces up to 160 mm in height
- 0 or 45 ° cobot mounting angle for 100% reach
- Compact dimensions -H1006*W1412*L920 mm




INTEGRATED

COMPARTMENT FOR

CONTROLLER BOX





Product order overview		
PFX-2100- 02	PF X-XL 2x 90kg tray w. Mechlock	H: 1050 mm, W: 1420, L: 920, Wt: 535 kg, 2x 780x620mm tray area, 2,5mm deflection at 90kg, Max part height 320mm, Mech-lock
PFX-2101- 02	PF X-XL 2x 90kg tray w. Airlock	H: 1050 mm, W: 1420, L: 920, Wt: 550 kg, 2x 780x620mm tray area, 2,5mm deflection at 90kg, Max part height 320mm, Air-lock
PFX-2100- 05	PF X-XL 5x 90kg tray w. Mechlock	H: 1050 mm, W: 1420, L: 920, Wt: 685 kg, 5x 780x620mm tray area, 2,5mm deflection at 90kg, Max part height 160mm, Mech-lock
PFX-2101- 05	PF X-XL 5x 90kg tray w. Airlock	H: 1050 mm, W: 1420, L: 920, Wt: 700 kg, 5x 780x620mm tray area, 2,5mm deflection at 90kg, Max part height 160mm, Air-lock
PFX-2100- 10	PF X-XL 10x 90kg tray w. Mechlock	H: 1050 mm, W: 1420, L: 920, Wt: 685 kg, 10x 780x620mm tray area, 2,5mm deflection at 90kg, Max part height 80mm, Mech-lock
PFX-2101- 10	ProFeeder X-XL 10x 90kg tray w. Airlock	H: 1050 mm, W: 1420, L: 920, Wt: 700 kg, 10x 780x620mm tray area, 2,5mm deflection at 90kg, Max part height 80mm, Air-lock

Distributor

Manufacturer and supplier of robotic cells for all types of automation.



- we move your parts



EasyRobotics ApS Tinggårdvej 1, 6400 Sønderborg, Denmark

Phone: +45 53 77 02 67 info@easyrobotics.dk www.easyrobotics.biz





