


Flexi-Guard



EasyRobotics®
- we move your parts

Flexi-Guard

This advanced robot cell is built to cater to industrial robots, ensuring seamless integration with any CNC machine and Industrial Robots, regardless of the manufacturer.

Flexible and Portable Design

- Experience true flexibility with a system that's as mobile as it is powerful.
- The Industry Cell's portable design allows it to be effortlessly relocated among your CNC machines. This mobility ensures that you can

streamline operations and reduce downtime, as the cell can be set up and ready to enhance production



Unlock unprecedented productivity with the EasyRobotics Industry Cell, designed to optimize your CNC machining processes.

Cost-Effective Solution

- Invest in a solution that pays for itself. The Industry Cell is engineered to provide a rapid return on investment.
- By increasing machine uptime and reducing labor costs, this robot cell offers a cost-effective way to scale production without scaling costs

Robust Design

- Each robot cell, like the one mentioned, weighs approximately 950 kg, highlighting the substantial and durable nature of their constructions.
- This combination of flexibility, reliability, and efficiency makes EasyRobotics a preferred choice in the robotics sector.

Accessibility and Safety

- Direct access from the corner makes it easy to place and remove items from the workplate.
- The fully enclosed shell also ensures that operations take place within a shielded area

More than 5,500 robot cells worldwide

- Capable of adapting to nearly any type of robot, which sets EasyRobotics apart in the industry. Known for rapid delivery times and robust product offerings,
- EasyRobotics continues to meet the demands of a diverse client base.

Controller compartment

- FlexiGuard has a lot of space inside the controller compartment, that is used to protect the robot-arm controller from external influences.
- There is a components plate for mounting of products inside console, like communication, air equipment etc.

Assurance of durability:




Extensive Experience: Over 5,500 global installations prove EasyRobotics' quality.

Well-Tested Equipment: Units are rigorously tested for reliable performance.

Strong Construction: Built to endure tough industrial environments.

Function:

- Large grid plate
- Square or Tear drop pockets
- Full moveable
- shielded area
- Easy access



Product order overview

FG-1000-T

EasyFlexiGuard Tending Station

H: 2420 mm, W: 1330, L: 2213, Wt: 800 kg, Incl Tendinggridplate W: 1000 x L:1500 mm

Distributor

Manufacturer and supplier of robotic cells
for all types of automation.

EasyRobotics®
- we move your parts



EasyRobotics ApS
Tinggårdvej 1, 6400
Sønderborg, Denmark
Phone: +45 53 77 02 67
info@easyrobotics.dk
www.easyrobotics.biz

